

31132 BARFV LFD N 45W-NW

Recessed-mounted LED panel


8595665311322













BAREV LED N are lightweight recessed panels which work perfectly as general lighting of office interiors, hotels, apartments and other public facilities. BAREV LED is a perfect alternative to classic raster luminaires.

GENERAL DATA:

Colour: white

Place of assembly: Recessed mount in the ceiling

Place of application: Indoors

Minimum distance from the illuminated object: 0,5m

Compatible with a dimmer: no

The product is not suitable to be covered with a heat-

insulating material: yes Feeder included: yes Length [mm]: 595 Width [mm]: 595 Height [mm]: 8

Integrated LED light source: yes

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50 Maximum power [W]: 45

Class of protection against electric shock: ||

Lampshade material: plastic

Diode type: LED SMD Luminous flux [Im]: 3800 Colour temperature: white

Correlated colour temperature [K]: 4000 Colour consistency in McAdam ellipses: ≤6

Colour rendering index: 80 Service life [h]: 20000

Number of on/off cycles: ≥15000

Lighting angle [°]: 120

Luminous efficiency of the lamp [lm/W]: 84


Ambient temperature range to which the product can be

exposed: 5÷25

Panel/frame material: aluminum alloy
Connection type: Free cable ends

Lamp-heating time [s]: ≤ 1 Lamp-ignition time [s]: ≤ 0.5

IP class: 20



We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





31132 BAREV LED N 45W-NW

Recessed-mounted LED panel

LOGISTIC DATA:

Unit of measurement: unit Packaging method: 5


Number of units in the secondary packaging: 1

Number of units in the packaging: 5

Net unit weight [g]: 1770 Grammage [g]: 2246


Length of a unit pack [cm]: 63 Width of a unit pack [cm]: 4 Height of a unit pack [cm]: 64

Weight of a cardboard box [kg]: 11.23 Width of a cardboard box [cm]: 22 Height of a cardboard box [cm]: 65.5 Length of a cardboard box [cm]: 64.5 Volume of a cardboard box [m³]: 0.092945



MILEDO (kat 31132) BAREV LED N 45W-NW / LDC (Polar)

Luminaire: MILEDO (kat 31132) BAREV LED N 45W-NW Lamps: 1 x BAREV LED N 45W-NW







31132 BAREV LED N 45W-NW

Recessed-mounted LED panel

ACCESSORIES:

30452 GRIPS BAREV 6060 Holders for surface mounting (4 pcs. in a set)



B1103 CLIPS BAREV N 6060 Mounting clip (4 pcs. in a set)





We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.

